Brain Research, 631 (1993) 357–359
© 1993 Elsevier Science Publishers B.V. All rights reserved 0006-8993/93/$06.00

Author Index

Albowitz, B. and Kuhnt, U.
Spread of epileptiform potentials in the neocortical slice: recordings with voltage-sensitive dyes (631) 329
Alkon, D.L., see Schreurs, B.G. (631) 235
Altrup, U., see Lücke, A. (631) 187
Apkarian, A.V., see Stevens, R.T. (631) 241
Ayadi, K., see Monmaur, P. (631) 317

Baert, J.-L., see Salzet, M. (631) 247
Báez-Saldaña, A., see Jiménez-Anguiano, A. (631) 345
Beck, B., see Jhanwar-Uniyal, M. (631) 97
Bigl, V., see Brauer, K. (631) 167
Billington, C.J., see Kotz, C.M. (631) 325
Blaustein, J.D., see Li, H.-Y. (631) 304
Brauer, K., Härtig, W., Bigl, V. and Brückner, G.
Distribution of parvalbumin-containing neurons and lectin-binding perineuronal nets in the rat basal forebrain (631) 167
Bredt, D.S., see Yamamoto, R. (631) 83
Breton, P., see Monmaur, P. (631) 317
Brines, M.L. and Robbins, R.J.
Cell-type specific expression of Na^+, K^+-ATPase catalytic subunits in cultured neurons and glia: evidence for polarized distribution in neurons (631) 1
Brines, M.L. and Robbins, R.J.
Glutamate up-regulates $\alpha 1$ and $\alpha 2$ subunits of the sodium pump in astrocytes of mixed telencephalic cultures but not in pure astrocyte cultures (631) 12
Britton, K., see Irwin, M. (631) 114
Brückner, G., see Brauer, K. (631) 167
Buijs, R.M., see Hermes, M.L.H.J. (631) 313
Burlet, C., see Jhanwar-Uniyal, M. (631) 97
Butterworth, R.F., see Rao, V.L.R. (631) 334

Cano, J., see Venero, J.L. (631) 89
Carter, D.B., see Kurata, Y. (631) 143
Casada, J.H. and Dafny, N.
Muscarinic receptors mediate the effect of acetylcholine (ACh) on neurons of the bed nucleus of the stria terminalis (BNST) (631) 124
Chrousos, G.P., see Zelazowski, P. (631) 22
Cleary, J., see Jewett, D.C. (631) 129
Coulter, D.A. and Lee, C.-J.
Thalamocortical rhythm generation in vitro: extra- and intracellular recordings in mouse thalamocortical slices perfused with low Mg^{2+} medium (631) 137
Crawley, J.N., see Drugan, R.C. (631) 270

Da Cunha, A., Jefferson, J.J., Tyor, W.R., Glass, J.D., Jannotta, F.S. and Vitković, L.
Control of astrocytosis by interleukin-1 and transforming growth factor-$\beta 1$ in human brain (631) 39
Dafny, N., see Casada, J.H. (631) 124
Dawson, T.M., see Yamamoto, R. (631) 83
De la Roza, C., see Venero, J.L. (631) 89
De Vries, G.J., see Li, H.-Y. (631) 304
De Vries, G.J., see Wang, Z. (631) 156
De Wildt, D.J., see Versteeg, D.H.G. (631) 265
Divac, I., see Regidor, J. (631) 171
Drucker-Colín, R., see Jiménez-Anguiano, A. (631) 345
Drugan, R.C., Paul, S.M. and Crawley, J.N.
Decreased forebrain [^{35}S]TBPS binding and increased [^{3}H]muscimol binding in rats that do not develop stress-induced behavioral depression (631) 270
Duncan, M.J., Heller, K.S., Purvis, C.C., Massey, B.T. and Stetson, M.H.
Investigations of the regulation of specific 2-[^{125}I]iodomelatonin binding sites in Siberian hamsters by endogenous and exogenous melatonin (631) 107

Fink, J.S., see Pollack, A.E. (631) 161
Florijn, W.J., see Versteeg, D.H.G. (631) 265
Fox, E.A. and Gruol, D.L.
Ionotropic and metabotropic components of electrophysiological response of cerebellar Purkinje neurons to excitatory amino acids (631) 59
Fuchs-Young, R., see Tucker, M.S. (631) 65

Gatt, A., see Liu, Z. (631) 51
Gispen, W.H., see Versteeg, D.H.G. (631) 265
Glass, J.D., see Da Cunha, A. (631) 39
Gold, P.W., see Zelazowski, P. (631) 22
Grace, M.K., see Kotz, C.M. (631) 325
Greene, G., see Tucker, M.S. (631) 65
Gregory, J.E., see Yahr, P. (631) 287
Gruol, D.L., see Fox, E.A. (631) 59
Gudehithlu, K.P., Neff, N.H. and Hadjiconstantinou, M.
c-fos and NGFI-A mRNA of rat retina: evidence for light-induced augmentation and a role for cholinergic and glutamate receptors (631) 77

Hadjiconstantinou, M., see Gudehithlu, K.P. (631) 77
Hagan, A., see Haring, J.H. (631) 119
Hamilton, B.J., see Kurata, Y. (631) 143
Haring, J.H., Hagan, A., Olson, J. and Rodgers, B.
Hippocampal serotonin levels influence the expression of S100β detected by immunocytochemistry (631) 119
Harrison, M.B., see Pollack, A.E. (631) 161
Härtig, W., see Brauer, K. (631) 167
Hauger, R.L., see Irwin, M. (631) 114
Haun, S.E., Trapp, V.L. and Horrocks, L.A.
Hypothermia decreases astroglial injury and arachidonate release during combined glucose-oxygen deprivation (631) 352
Heller, K.S., see Duncan, M.J. (631) 107
Hermes, M.L.H.J., Kalsbeek, A., Kirsch, R., Buijs, R.M. and Pévet, P.
Induction of arousal in hibernating European hamsters (*Cricetus cricetus* L.) by vasopressin infusion in the lateral septum (631) 313
Hernandez-Urquia, C.M., see Regidor, J. (631) 171
Hirasawa, Y., see Okajima, S. (631) 133
Holmes, G.L., see Liu, Z. (631) 51
Holtmaat, A.J.G.D., see Versteeg, D.H.G. (631) 265
Horrocks, L.A., see Haun, S.E. (631) 352
Hunter, B.E., see Rothberg, B.S. (631) 227

Ide, C., see Okajima, S. (631) 133
Irwin, M., Hauger, R.L. and Britton, K.
Benzodiazepines antagonize central corticotropin releasing hormone-induced suppression of natural killer cell activity (631) 114

Jannotta, F.S., see Da Cunha, A. (631) 39
Janssen, P.F.M., see Schotte, A. (631) 191
Jefferson, J.J., see Da Cunha, A. (631) 39
Jewett, D.C., Cleary, J., Schaal, D.W., Thompson, T. and Levine, A.S.
[Leu^{31},Pro^{34}]Neuropeptide Y (NPY), but not NPY 20–36, produces discriminative stimulus effects similar to NPY and induces food intake (631) 129
Jhanwar-Uniyal, M., Beck, B., Jhanwar, Y.S., Burlet, C. and Leibowitz, S.F.
Neuropeptide Y projection from arcuate nucleus to parvocellular division of paraventricular nucleus: specific relation to the ingestion of carbohydrate (631) 97
Jhanwar, Y.S., see Jhanwar-Uniyal, M. (631) 97
Jiménez-Anguiano, A., Báez-Saldaña, A. and Drucker-Colín, R.
Cerebrospinal fluid (CSF) extracted immediately after REM sleep deprivation prevents REM rebound and contains vasoactive intestinal peptide (VIP) (631) 345
Johnson, I.P., Simaika, Y.S. and Sears, T.A.
Ultrastructure of γ-motoneurons after temporary or permanent interruption of peripheral target contact (631) 337

Kalaria, R.N. and Perry, G.
Amyloid P component and other acute-phase proteins associated with cerebellar Aβ-deposits in Alzheimer's disease (631) 151
Kalsbeek, A., see Hermes, M.L.H.J. (631) 313
Kaneko, T., Shigemoto, R., Nakanishi, S. and Mizuno, N.
Substance P receptor-immunoreactive neurons in the rat neostriatum are segregated into somatostatinergic and cholinergic aspiny neurons (631) 297

Kang, M., Yoshimatsu, H., Kurokawa, M., Oohara, A. and Sakata, T.
Aminoglucose-induced feeding suppression is regulated by hypothalamic neuronal histamine in rats (631) 181
Khan, I., see Tucker, M.S. (631) 65
Kirsch, R., see Hermes, M.L.H.J. (631) 313
Kotz, C.M., Grace, M.K., Billington, C.J. and Levine, A.S.
The effect of norbinaltorphimine, β-funaltrexamine and naltrindole on NPY-induced feeding (631) 325
Kuhnt, U., see Albowitz, B. (631) 329
Kurata, Y., Marszalec, W., Hamilton, B.J., Carter, D.B. and Narahashi, T.
Alcohol modulation of cloned $GABA_A$ receptor-channel complex expressed in human kidney cell lines (631) 143
Kurokawa, M., see Kang, M. (631) 181

Laurie, D.J. and Pratt, J.A.
Flumazenil induces localised increases in glucose utilization during diazepam withdrawal in rats (631) 277
Lee, C.-J., see Coulter, D.A. (631) 137
Lehmenkühler, A., see Lücke, A. (631) 187
Leibowitz, S.F., see Jhanwar-Uniyal, M. (631) 97
Levine, A.S., see Jewett, D.C. (631) 129
Levine, A.S., see Kotz, C.M. (631) 325
Leysen, J.E., see Schotte, A. (631) 191
Li, H.-Y., Blaustein, J.D., De Vries, G.J. and Wade, G.N.
Estrogen-receptor immunoreactivity in hamster brain: preoptic area, hypothalamus and amygdala (631) 304
Liu, Z., Gatt, A., Mikati, M. and Holmes, G.L.
Effect of temperature on kainic acid-induced seizures (631) 51
London, S.M., see Stevens, R.T. (631) 241
Lothman, E., see Torre, E.R. (631) 256
Lücke, A., Lehmenkühler, A., Altrup, U., Nicholson, C., Reith, H., Schmitz-Moormann, C. and Speckmann, E.-J.
Diffusion analysis of valproate and *trans*-2-en-valproate in agar and in cerebral cortex of the rat (631) 187

Machado, A., see Venero, J.L. (631) 89
Maki, B.E., see McIlroy, W.E. (631) 203
Malecha, J., see Salzet, M. (631) 247
Marszalec, W., see Kurata, Y. (631) 143
Massey, B.T., see Duncan, M.J. (631) 107
Masutani, M., see Okajima, S. (631) 133
Matsuki, N., see Tanaka, T. (631) 72
McIlroy, W.E. and Maki, B.E.
Changes in early 'automatic' postural responses associated with the prior-planning and execution of a compensatory step (631) 203
McMahon, S.B., see Rice, A.S.C. (631) 221
Megens, A.A.H.P., see Schotte, A. (631) 191
Mikati, M., see Liu, Z. (631) 51
Mizoguchi, A., see Okajima, S. (631) 133
Mizuno, N., see Kaneko, T. (631) 297
Monmaur, P., Ayadi, K. and Breton, P.
Hippocampal EEG responses induced by carbachol and atropine infusions into the septum and the hippocampus in the urethane-anaesthetized rat (631) 317
Montesdeoca, J., see Regidor, J. (631) 171

Nakanishi, S., see Kaneko, T. (631) 297
Narahashi, T., see Kurata, Y. (631) 143
Neff, N.H., see Gudehithlu, K.P. (631) 77
Neuman, R.S., see Rahman, S. (631) 349
Nicholson, C., see Lücke, A. (631) 187

Ohara, P.T., see Williamson, A.M. (631) 175
Okajima, S., Mizoguchi, A., Masutani, M., Tomatsuri, M., Tamai, K., Hirasawa, Y. and Ide, C.
Synaptophysin immunocytochemistry in the regenerating sprouts from the nodes of Ranvier in injured rat sciatic nerve (631) 133
Olson, J., see Haring, J.H. (631) 119
Oohara, A., see Kang, M. (631) 181

Patchev, V.K., see Zelazowski, P. (631) 22
Paul, S.M., see Drugan, R.C. (631) 270
Perry, G., see Kalaria, R.N. (631) 151
Pévet, P., see Hermes, M.L.H.J. (631) 313
Pollack, A.E., Harrison, M.B., Wooten, G.F. and Fink, J.S.
Differential localization of A2a adenosine receptor mRNA with D1 and D2 dopamine receptor mRNA in striatal output pathways following a selective lesion of striatonigral neurons (631) 161
Pratt, J.A., see Laurie, D.J. (631) 277
Price, S., see Tucker, M.S. (631) 65
Purvis, C.C., see Duncan, M.J. (631) 107

Rahman, S. and Neuman, R.S.
Myo-inositol reduces serotonin ($5\text{-}HT_2$) receptor induced homologous and heterologous desensitization (631) 349
Ralston III, H.J., see Williamson, A.M. (631) 175
Ramirez-Gonzalez, J.A., see Regidor, J. (631) 171
Rao, V.L.R., Richardson, J.S. and Butterworth, R.F.
Decreased activities of thiamine diphosphatase in frontal and temporal cortex in Alzheimer's disease (631) 334
Regidor, J., Montesdeoca, J., Ramirez-Gonzalez, J.A., Hernandez-Urquia, C.M. and Divac, I.
Bilateral induction of NADPH-diaphorase activity in neocortical and hippocampal neurons by unilateral injury (631) 171
Reith, H., see Lücke, A. (631) 187
Rice, A.S.C., McMahon, S.B. and Wall, P.D.
The electrophysiological consequences of electrode impalement of peripheral nerves in the rat (631) 221
Richardson, J.S., see Rao, V.L.R. (631) 334
Robbins, R.J., see Brines, M.L. (631) 1
Robbins, R.J., see Brines, M.L. (631) 12
Rodgers, B., see Haring, J.H. (631) 119
Rosner, M.R., see Tucker, M.S. (631) 65
Rothberg, B.S., Yasuda, R.P., Satkus, S.A., Wolfe, B.B. and Hunter, B.E.
Effects of chronic ethanol on cholinergic actions in rat hippocampus: electrophysiological studies and quantification of m_1–m_5 muscarinic receptor subtypes (631) 227

Saavedra, J.M., see Tsutsumi, K. (631) 212
Saito, H., see Tanaka, T. (631) 72
Sakata, T., see Kang, M. (631) 181
Salzet, M., Wattez, C., Baert, J.-L. and Malecha, J.
Biochemical evidence of angiotensin II-like peptides and proteins in the brain of the rhynchobdellid leech *Theromyzon tessulatum* (631) 247
Satkus, S.A., see Rothberg, B.S. (631) 227
Schaal, D.W., see Jewett, D.C. (631) 129
Schmitz-Moormann, C., see Lücke, A. (631) 187
Schotte, A., Janssen, P.F.M., Megens, A.A.H.P. and Leysen, J.E.
Occupancy of central neurotransmitter receptors by risperidone, clozapine and haloperidol, measured ex vivo by quantitative autoradiography (631) 191
Schreurs, B.G. and Alkon, D.L.
Rabbit cerebellar slice analysis of long-term depression and its role in classical conditioning (631) 235
Sears, T.A., see Johnson, I.P. (631) 337
Seltzer, A., see Tsutsumi, K. (631) 212
Shi, Y., see Xu, Y. (631) 46
Shigemoto, R., see Kaneko, T. (631) 297
Simaika, Y.S., see Johnson, I.P. (631) 337
Snyder, S.H., see Yamamoto, R. (631) 83
Speckmann, E.-J., see Lücke, A. (631) 187
Steininger, T.L., see Tucker, M.S. (631) 65
Sternberg, E.M., see Zelazowski, P. (631) 22
Stetson, M.H., see Duncan, M.J. (631) 107
Stevens, R.T., London, S.M. and Apkarian, A.V.
Spinothalamocortical projections to the secondary somatosensory cortex (SII) in squirrel monkey (631) 241
Steward, O., see Torre, E.R. (631) 256
Stone, R.A., see Yamamoto, R. (631) 83

Tamai, K., see Okajima, S. (631) 133
Tanaka, T., Saito, H. and Matsuki, N.
Endogenous nitric oxide inhibits NMDA- and kainate-responses by a negative feedback system in rat hippocampal neurons (631) 72
Tejani-Butt, S.M., Yang, J. and Zaffar, H.
Norepinephrine transporter sites are decreased in the locus coeruleus in Alzheimer's disease (631) 147
Thompson, T., see Jewett, D.C. (631) 129
Tomatsuri, M., see Okajima, S. (631) 133
Torre, E.R., Lothman, E. and Steward, O.
Glial response to neuronal activity: GFAP-mRNA and protein levels are transiently increased in the hippocampus after seizures (631) 256
Trapp, V.L., see Haun, S.E. (631) 352

Tsutsumi, K., Seltzer, A. and Saavedra, J.M.
Angiotensin II receptor subtypes and angiotensin-converting enzyme in the fetal rat brain (631) 212
Tucker, M.S., Khan, I., Fuchs-Young, R., Price, S., Steininger, T.L., Greene, G., Wainer, B.H. and Rosner, M.R.
Localization of immunoreactive epidermal growth factor receptor in neonatal and adult rat hippocampus (631) 65
Tyor, W.R., see Da Cunha, A. (631) 39

Venero, J.L., De la Roza, C., Machado, A. and Cano, J.
Age-related changes on monoamine turnover in hippocampus of rats (631) 89
Versteeg, D.H.G., Florijn, W.J., Holtmaat, A.J.G.D., Gispen, W.H. and De Wildt, D.J.
Synchronism of pressor response and grooming behavior in freely moving, conscious rats following intracerebroventricular administration of ACTH/MSH-like peptides (631) 265
Vitković, L., see Da Cunha, A. (631) 39

Wade, G.N., see Li, H.-Y. (631) 304
Wainer, B.H., see Tucker, M.S. (631) 65
Wall, P.D., see Rice, A.S.C. (631) 221
Wang, Z. and De Vries, G.J.
Testosterone effects on paternal behavior and vasopressin immunoreactive projections in prairie voles (*Microtus ochrogaster*) (631) 156
Wattez, C., see Salzet, M. (631) 247
Widdowson, P.S.
Quantitative receptor autoradiography demonstrates a differential distribution of neuropeptide-Y Y_1 and Y_2 receptor subtypes in human and rat brain (631) 27
Williamson, A.M., Ohara, P.T. and Ralston III, H.J.
Electron microscopic evidence that cortical terminals make direct contact onto cells of the thalamic reticular nucleus in the monkey (631) 175
Wolfe, B.B., see Rothberg, B.S. (631) 227
Wooten, G.F., see Pollack, A.E. (631) 161

Xu, Y. and Shi, Y.
Action of toosendanin on the membrane current of mouse motor nerve terminals (631) 46

Yahr, P. and Gregory, J.E.
The medial and lateral cell groups of the sexually dimorphic area of the gerbil hypothalamus are essential for male sex behavior and act via separate pathways (631) 287
Yamamoto, R., Bredt, D.S., Dawson, T.M., Snyder, S.H. and Stone, R.A.
Enhanced expression of nitric oxide synthase by rat retina following pterygopalatine parasympathetic denervation (631) 83
Yang, J., see Tejani-Butt, S.M. (631) 147
Yasuda, R.P., see Rothberg, B.S. (631) 227
Yoshimatsu, H., see Kang, M. (631) 181

Zaffar, H., see Tejani-Butt, S.M. (631) 147
Zelazowska, E.B., see Zelazowski, P. (631) 22
Zelazowski, P., Patchev, V.K., Zelazowska, E.B., Chrousos, G.P., Gold, P.W. and Sternberg, E.M.
Release of hypothalamic corticotropin-releasing hormone and arginine-vasopressin by interleukin 1β and αMSH: studies in rats with different susceptibility to inflammatory disease (631) 22